

AS

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	09/639,636	GUIDA ET AL.
	<b>Examiner</b>	<b>Art Unit</b>
	Emmanuel S. Luk	1722

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the after final amendment dated 12/30/03.
2.  The allowed claim(s) is/are 10-12 and 15-17 (renumbered as claims 1-6).
3.  The drawings filed on 15 August 2000 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

5.  Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
  - (a)  The translation of the foreign language provisional application has been received.
6.  Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE**

7.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1)  hereto or 2)  to Paper No. \_\_\_\_\_.
  - (b)  including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
  - (c)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1 <input type="checkbox"/> Notice of References Cited (PTO-892)	5 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
2 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	6 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____.
3 <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____	7 <input checked="" type="checkbox"/> Examiner's Amendment/Comment
4 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material	8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance
	9 <input type="checkbox"/> Other _____.

#### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ann M. Agosti on January 6, 2004.

The application has been amended as follows:

Cancel claims 18-21.

2. The following is an examiner's statement of reasons for allowance:

The prior art of record fails to teach a system of patterning a substrate comprising a high power laser, beam homogenizer and phase mask, the laser, beam homogenizer and phase mask positioned for ablating openings having slopes less than or equal to 0.25 degrees and extending completely through an anti-scatter x-ray grid substrate having a thickness ranging from 0.3 to 1.5 millimeters. The closest prior art, Lambda Physik, teaches a 20-75° range and therefore fails to teach a system capable of being positioned for ablating openings having slopes less than or equal to 0.25 degrees.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emmanuel S. Luk whose telephone number is (571) 272-1134. The examiner can normally be reached on Monday-Thursday 7 to 4 and alternate Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L. Walker can be reached on (571) 272-1151. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

EL

*Walker*  
W. L. WALKER  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1700